

ntgent

Minnemeers

Technical Rider



1. General

Audience entrance: Minnemeers 8
Artist entrance: Oudevest 20 / 24
Loading dock: Minnemeers 8
Administration: Sint-Baafsplein 17, 9000 Gent
Tel. : +32 9 225 01 01
info@ntgent.be
www.ntgent.be

Contact

- Joris Durnez
Stage manager

Mob. : +32 476 679 053

Joris.durnez@ntgent.be

- Karel Clemminck
Technical director

Mob. : +32 486 163 104

Karel.clemminck@ntgent.be

- Dennis Diels
Light

dennis.diels@ntgent.be

- Raf Willems
Sound & Video

raf.willems@ntgent.be

How to get there

Circulation in the centre of Ghent is strictly regulated. Please use a navigation system to reach the theatre. To reach the Minnemeers venue a permit is not needed.

All info on this website : <https://stad.gent/mobiliteitsplan/het-circulatieplan>

The Centre of Ghent is a low emission zone. Check your vehicle on the official site of the city. Old vehicles can buy a one day permit. <https://stad.gent/nl/mobiliteit-openbare-werken/lage-emissiezone> .

Public transport:

The theatre is a 15 minutes walk from Dampoort train station. From Sint-Jacob church in the city centre it is only a 5 minutes walk.

From Sint-Pieters train station : Take a train to Dampoort station or bus 55, 55s, 57 en 58 in the bus station next to the train station to Sint-Jacobs church.

From Dampoort station you can walk: Dampoortstreet – Sint-Jorisbridge over the bridge to the right – Baudelokaai and then straight ahead to the theater.

From Sint-Jacobs church : follow the Bibliotheekstreet to the Baudelopark – when on Baudelokaai to the left.

Loading dock:

- * Loading and unloading on straat level.
- * Park your truck backwards in the drive in-between MIAT museum and Minnemeers theatre.
- * There are no stairs or elevators in-between the loading dock and the stage.
- * Most narrow passage : 2m90 H x 1m60 W

If the passage is too narrow, we can also go thru the decor atelier. This way you have 3m.

2. Venue



- * Stand with 184 seats. The first 4 rows can be taken away.
- * Wheelchairs are placed next to the stand on the first row.
- * Operating pit is positioned just after the stand.

3. Accommodation

Dressing rooms:

- * Stage level: 2 dressing rooms 2 pers
- * 1ste Floor: 3 dressing rooms 2 pers

Showers:

2 x on the 1ste floor

Toilets:

- * Stage level : 1 wheelchair friendly toilet
- * 1ste floor 2 toilets in the artist foyer

Extra:

- * There is a washing machine and dryer available.
- * The audience entre's true a bar on street level and the first floor.

4. Stage

General

- * The Minnemeers venue is a blackbox.
- * There is a black/white dance carpet available. The dance carpet is 15m/12m
- * Black MDF Floor. Screwing in the MDF is allowed.

Dimensions

Depth of the venue:

- * Total depth of the venue: 24m75
- * Stage without backdrop: 14m tot 1e rij
- * Stage with backdrop: 13m50 tot 1e rij

Width of the venue:

- * Width from wall to wall : 15m45
- * Width in between the black curtains : 14m50
- * Width of the stand : 11m5

Hight:

- * Floor to the grid: 6m00
- * Floor to the roof structure: 6m85

Grid

- * There is a grid made with black X30L ladder truss
- * Above the stage there is 75 cm in between the trusses
- * Above the stand there is 150 cm in between the trusses
- * 6 chain hoist and X30 truss
- * Trusses are 14m long
- * Maximum total load / truss : 700 Kg
- * Maximum point load : 100 Kg
- * Maximum load / roof section 1500 kg

There is a front bridge available

Aerial work platform:

- Alp-lift type PHCI940
- Genie GS-1532 max.

Black box

There are black curtains on stage left, stage right and as a back drop.

5. Light

- Console: Chamsys MQ 70
- DMX 512/1990
- Audience light: DMX-controlable
- Working lights: TL
- All dimmers and switches are CEE
- 85 dimmers in the grid
- 12 dimmers on stage
- 24 dimmers in the front bridge
- 36 extra dimmers available

Power:

- 32A 3x400V + N
- 63A 3x400V + N
- 125A 3x400V + N
- Maximum 166A for the venue

PC's	22	1 kW	ADB C103
	6	1 kW	ADB THH
	4	2 kW	ADB C203
	4	2 kW	ADB THH

Profile spots:	28	800 W	ADB WARP	22° - 50°
	2	1 kW	ADB DW104	

PAR 64	50	1 kW	DTS CP60/CP61/CP62
	5	1 kW	Shortnose

ACP	6	1kW	ADB ACP
-----	---	-----	---------

Sunstrips	5		Showtec 2
-----------	---	--	-----------

6. Sound

Console:

- Soundcraft GB4 16ch
- Allen & Heath SQ5

FOH-speakers:

- FOH Speakers L-Acoustics
- L/R 3 x ARC Wide flown
- L/R 2 x 2 sb18 subs
- Center 1 x 112p, 4x 112p los

Monitors:

8 x L-Acoustics 108P

Stageblock:

24 send and 10 return analog lines

If you need anything specific, please ask there is a big stock in our other venue.

7. Video

Panasonic PT-DZ 870 (8500 lummen) beamer

Please discuss all your tech needs with us.
Depending on our program we can have other equipment available, extra to this general tech rider.